SCHEDULE "B-1"
## PARKING SPACE REQUIREMENTS
By Configuration

TOWNSHIP OF BLANDFORD-BLENHEIM

NOTE : ALL DIMENSIONS ARE IN METRES

45 DEGREE ANGLE

LANDSCAPED OR PAVED

2.7m

AISLE

5.5m

3.7m

14.7m

30 DEGREE ANGLE

PRIVACY FENCE

LANDSCAPED OR PAVED

2.7m

AISLE

4.6m

3.4m

12.6m

55 DEGREE ANGLE

LANDSCAPED OR PAVED

2.7m

AISLE

5.8m

4.3m

15.9m

BUILDING

3.0m

6.0m

AISLE

6.5m

2.7m

PARALLEL

BUILDING

3.0m

3.0m

6.5m

3.0m

AISLE

2.7m

SCHEDULE "B-2"
PARKING SPACE REQUIREMENTS
By Configuration

TOWNSHIP OF BLANDFORD-BLENHEIM

NOTE : ALL DIMENSIONS ARE IN METRES

65 DEGREE ANGLE

LANDSCAPED OR PAVED

←2.7m→

5.8m

AISLE

5.2m

16.8m

60 DEGREE ANGLE

LANDSCAPED OR PAVED

←2.7m→

5.8m

AISLE

4.9m

16.5m

90 DEGREE ANGLE

PRIVACY FENCE

←3.0m→

←2.7m→

5.5m

AISLE

6.7m

17.7m

70 DEGREE ANGLE

LANDSCAPED OR PAVED

←2.7m→

5.8m

AISLE

5.5m

17.1m

SCHEDULE "B-3" TOWNSHIP OF BLANDFORD-BLENHEIM
ACCESSIBLE PARKING STANDARDS

RESERVED
PARKING

RESERVED
PARKING

VAN
ACCESSIBLE

SIDEWALK

1.80m

Type B

Type A

5.50m

2.70m

1.50m

3.40m